

Many and the second state of the second seco

The first fi


Figure 2.


. 11.

The state of the s

Figure 3.

YOR 920-010355451 pay 2 of 16





yorgano 10255 usl

Figure 5.

Application Name="JobFair"	100
Interactor Name="LastName" Type="Input"	110
Property Name="label" Value="LastName: "	120
Interactor Name="SkillsList" Type="SelectableList"	130
Property Name="label" Value="Skills:"	140
Property Name="multipleSelect" Value=false	150
Interactor Name="BoothsList" Type="SelectableList"	160
Property Name="label" Value="Booths:"	170
Property Name="multipleSelect" Value=true	180

yordsoolosessusl

Figure 5A

Device Name="PalmPirate" 100
Toolkit Name="myToolkit" 110
Screen Width=150 Height=150 120

Figure 5B

Foolkit Name="myToolkit"	
Mapping InteractorName="Input" Widget="EntryField"	100
Sizing Name="Width" Value=(10*label.numChars)	110
Sizing Name="Height" Value=(20)	120
Mapping InteractorName="SelectableList" Widget="ChoiceList"	130
Sizing Name="Width" Value=(100)	140
Sizing Name="Height" Value=(100)	150

Figure 5C


JORG20010355 USI

Application Name="JobFair" Device="PalmPirate" Toolkit="myToolkit"	100	
Screen Name="Screen1"	110	
Widget Type="myToolkit.EntryField"	120	
Attribute Name="Text" Value="LastName: "		
Attribute Name="Position" Value=(20,20)	140	
Attribute Name="Size" Value=(100,20)	150	
Widget Type="myToolkit.ChoiceList"	160	
Attribute Name="Label" Value="Skills:"	170	
Attribute Name="Position" Value=(20,60)	180	
Attribute Name="Size" Value=(100,100)	190	
Attribute Name="Multi" Value=false	200	
Screen Name="Screen2"	210	
Widget Type="myToolkit.ChoiceList"	220	
Attribute Name="Text" Value="Booths:"	230	
Attribute Name="Position" Value=(20,20)	240	
Attribute Name="Size" Value=(100,100)	250	
Attribute Name="Multi" Value=true	260	


yorgzoolozssu pag a of lb

Figure 5D

!



yorasoopsesusl



yorgaoologususi page 11 of 16

Figure 6.





Figure 7.

JOR 9200 10355451



yor 920000555451 page 13 of 16

Figure 8.

The first state, when there exists first three events and then the first first

Figure 9. A

Figure 9B

09 0 1 07 07 00	7 7 7 7 7	Device-specific layout specification file Application Name="JobFair" Device="PalmPirate" Toolkit="myTool Screen Name="Screen!" Widget Type="myToolkit.EntryField" ObjID=I Attribute Name="Text" Value="LastName: " Attribute Name="Position" Value=(20,20) Attribute Name="Position" Value=(20,20)
- & o	7I 11	UI Model description file Application Name="JobFair" Interactor Name="LastName" Type="Input" Property Name="label" Value="LastName: " Property Name="label" Value="LastName: "

The first party was trans that the first party party from the first party from the first party first first party for the first party first first

FIGURE 11